CL150lbs Water Valve Cast IronGlobe Valve With FBE Coated

Basic Information

Place of Origin: CHINABrand Name: DEYE

Certification: ISO9001:2015 PED

Model Number: DY-G-K-01Minimum Order Quantity: 10PCS

• Price: USD2-USD20000 each

• Packaging Details: carton box+ ply wooden cases or carton+

Pallets

• Delivery Time: 20 days for usual order, 7 days for stocked

items

Payment Terms: T/T, L/C, D/P
Supply Ability: 1000pcs one month



Product Specification

Highlight: 150lbs Water Valve, Feb Coated Water Valve,
 Cast Iron angle globe valve



More Images





Product Description

CL150lbs Water Valve Cast IronGlobe Valve With FBE Coated

Model No. G-K-01

flanged globe valve with bronze seat. 150LBS, Temperature: -30 -+300

Quick Detail

Design standard	ANSI
Body material	cast iron ASTM A 536
Seat/Plug	ductile iron +Bronze
End connection	flange RF
Face to face	ANSI B 16.10
Working temperature	-30 ~+300
Test and inspection	API 598
Connection	Flange to ANSI B16.5

Product Range:

Available material of the body: GGG40, GGG50, ASTM A536

Available seat seal: Stainless steel 304, SS316. Bronze. Brass, Gunmetal

Pressure Range: PN6, PN10 PN16 150LBS

Size Range: DN15-DN200

Performance

The angle type globe valve is a globe valve with an inlet and outlet at an angle of 90°C. Beside the advantages and use requirements of a general flange globe valve, the big feature is that it is easy to install at the corner of the pipeline system. It not only saves the elbow of 90°C, but also facilitates the opening and closing operation. Flange angle globe valve is widely used in synthetic ammonia system and refrigeration system of fertilizer plant.

APPLICATIONS

It is widely used in chemical, petroleum, electric power, pharmaceutical, beer, food, dairy beverage, cosmetics and various engineering supporting pipelines worldwide.





+8613292824811



sales@deyepiping.com



piping-industry.com

No. 368 Youyi St. Shijiazhuang, Hebei, China

